



BARBIERI GROUP
MADE IN ITALY

Balkenmäher



TEMPO

MAIN FEATURES

STARTING:	self-winding
TRANSMISSION:	belt/gear in oil bath
GEARBOX:	4 speeds - 2 forward and 2 rm
WHEEL RELEASE:	with lever control
POWER TAKE-OFF:	with coupling/disconnection control
WHEELS:	semi-differential hubs
QUICK COUPLING:	for all tools
DRIVING HANDLEBARS:	cushioned and adjustable
WHEELS:	13.500-6"

ENGINE		
HONDA GX 160	Petrol	4,8 HP / 3,6 kW



Illustrations, descriptions and features in this document



A great machine for everyday use!

With two forward gears, two reverse gears, belt drive, oil bath gears and a sturdy steel crankcase, this model is ideal for both amateur and professional gardeners.


The possibility of using this machine both with the cutting bar, and with the brush, makes this machine fundamental for those who want to have their garden in perfect conditions all the year round.




Quick coupling



Speed reverser



Speed change



are purely for information purposes and have no contractual value.





C60

MAIN FEATURES

ENGINE:	petrol 4.8 HP
STARTING:	self-winding
TRANSMISSION:	gear in oil bath
GEARBOX:	2 speeds - 1 forward and 1 rm
CLUTCH:	conic in oil bath
POWER TAKE-OFF:	with engagement / disengagement control
QUICK COUPLING:	for all tools
DRIVING HANDLEBARS:	cushioned and adjustable in height
SAFETY:	combined with the clutch
WHEELS:	3.50-6

ENGINE		
HONDA GX 160	Petrol	4,8 HP / 3,6 kW



Quick coupling



Illustrations, descriptions and features in this document

C70

MAIN FEATURES

ENGINE:	petrol 5.5 HP
STARTING:	self-winding
TRANSMISSION:	gear in oil bath
GEARBOX:	4 speeds - 2 forward and 2 rm
CLUTCH:	multi-disc
POWER TAKE-OFF:	independent 1 speed
DRIVING HANDLEBARS:	cushioned
SAFETY:	combined with the clutch
QUICK COUPLING:	standard
WHEELS:	16x6.50-8

ENGINE		
HONDA GX 200	Petrol	5,5 HP / 4,1 kW



Quick coupling



Vibration reduction




are purely for information purposes and have no contractual value.

C80

MAIN FEATURES

ENGINE:	petrol 8.4 HP
STARTING:	self-winding
TRANSMISSION:	gear in oil bath
GEARBOX:	with 6-speed inverter 3 forward and 3 rm
CLUTCH:	multi-disc
POWER TAKE-OFF:	independent 1 speed
Working SPEED Km/h:	I° (1,8) - II° (2,8) - III° (3,9) - rm (1,4 ÷ 2,2 ÷ 3,0)
DRIVING HANDLEBARS:	ushioned and adjustable in height
SAFETY:	combined on the clutch
QUICK COUPLING:	standard
WHEELS:	4.0-10

ENGINE		
HONDA GX 270	Petrol	8,4 HP / 6,3 kW



Illustrations, descriptions and features in this document



C80 Alpina

MAIN FEATURES

ENGINE:	petrol 8.4 HP
STARTING:	self-winding
TRANSMISSION:	gear in oil bath
GEARBOX:	with 6-speed inverter 3 forward and 3 rm
CLUTCH:	multi-disc
RELEASE:	independent on both wheels
POWER TAKE-OFF:	independent 1 speed
Working SPEED Km/h:	I° (1,8) - II° (2,8) - III° (3,9) - rm (1,4 ÷ 2,2 ÷ 3,0)
DRIVING HANDLEBARS:	ushioned and adjustable in height
SAFETY:	combined on the clutch
QUICK COUPLING:	standard
WHEELS:	17.800x8

ENGINE		
HONDA GX 270	Petrol	8,4 HP / 6,3 kW



Quick coupling



are purely for information purposes and have no contractual value.





BARBIERI GROUP
MADE IN ITALY



BARBIERI SRL – Power Product

Registered Offices: 00144 ROMA (RM) - PIAZZALE LUIGI STURZO N. 15
Production Unit and Plants: Via Seccalegno. 23 - 36040 SOSSANO (VI) Italy
Tel. +39 0444 885722 - Fax +39 0444 885482
www.barbierisrl.com mail info@barbieri-fb.com

